



M745-340 SUPER GRIP GLUE

# MATERIAL SAFETY DATA SHEET

RPM Wood Finishes Group  
3194 Hickory Boulevard  
Hudson, North Carolina 28638  
828-728-8266

EMERGENCY PHONE (CHEM TREC): ..... 1-800-424-9300  
FOR ALL INTERNATIONAL TRANSPORTATION ACCIDENTS. .... 1-703-527-3887 (collect)

Health: 1                      Flammability: 0                      Reactivity 0

PRODUCT NAME: M745-340 SUPER GRIP GLUE

## I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

REVISION DATE:                      09/05/06  
SUPERCEDES:                         09/05/06  
MSDS NO.                                M745-340

## II. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	%	CAS #	PEL
No Name on File			

## III. HAZARDS IDENTIFICATION

**Routes of Entry:** Skin contact., Inhalation., Eye contact., Ingestion.  
**Medical Conditions Aggravated:** Eye disease. Respiratory disease including asthma and bronchitis. Skin disease including eczema and sensitization.

### Immediate (Acute) Health Effects

**Inhalation:** Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

**Eye Contact:** Can cause severe irritation. Eye contact may result in corneal injury. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Temporary vision impairment (cloudy or blurred vision) is possible.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Ingestion:** Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.

**Target Organ Acute Toxicity:**

Vinyl acetate eyes, skin, respiratory system

**Long-Term (Chronic) Health Effects:**

**Carcinogenicity:** None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.

**Eye Contact:** Upon prolonged or repeated contact, can cause severe irritation. Eye contact may result in corneal injury. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Temporary vision impairment (cloudy or blurred vision) is possible.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Target Organ Chronic Toxicity:** Eyes. Respiratory Tract. Skin.

**Supplemental Health Hazard Information:** No additional health information available.

**IV. FIRST AID**

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.

**Eyes:** Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or persists.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this MSDS.

**Notes to MD:** No additional first aid information available.

**V. FIRE FIGHTING MEASURES****Flammability Summary:**

**Flash Point:** >200 (CALC.) °F

**Extinguishing Media:** Use methods suitable to fight surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, Carbon monoxide

## VI. ACCIDENTAL RELEASE MEASURES

**Health Consideration for Spill Response:** No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

**Spill Mitigation Procedures General Methods:** No special spill clean-up considerations. Collect and discard in regular trash.

## VII. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling. Avoid contact with material. Remove contaminated clothing and wash before reuse. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Mildly irritating material. Avoid unnecessary exposure.

**Storage:** Store in a cool dry place away from ignition sources. No special requirements.

## VIII. ENGINEERING CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT

**Engineering Controls:** Explosion proof exhaust ventilation should be used. No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator comfort under normal conditions of use.

### Protective Equipment

**Respiratory Tract:** Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2-1992). A written respiratory protection program, including provisions for medical certification, training, fit testing, exposure assessments, maintenance, inspection, cleaning, and convenient, sanitary storage should be implemented.

**Eyes:** Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

**Skin:** Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

## IX. PHYSICAL DATA

**Physical State:** CLEAR VISCOUS LIQUID  
**Odor:** STRONG SOLVENT  
**Solids Vol %:** 37.4458  
**Solids Wt %:** 44.7  
**Material VOC lbs/gal:** 0.0283  
**Material VOC gms/l:** 3.3927

**Coatings VOC lbs/gal:** 0.0747  
**Coatings VOC gms/l:** 8.9755  
**Weight per gallon lbs:** 9.4386

VOC data per US EPA guidelines. State and local variations may apply.

## X. STABILITY AND REACTIVITY

**Stability Information:** Stable. Stable under normal conditions.  
**Conditions to Avoid:** Contamination. None known.  
**Chemical Incompatibility:** Acids. Oxidizing materials. Peroxides. Strong alkalies.

## XI. TOXICOLOGICAL INFORMATION

Chemical Name	CAS Number	LD50/LC50
Acetic acid, vinyl ester	108-05-4	Inhalation LC50 Rat : 11400 mg/m <sup>3</sup> /4H; Inhalation LC50 Mouse : 1550 ppm/4H; Oral LD50 Rat : 2920 mg/kg; Oral LD50 Mouse : 1613 mg/kg; Dermal LD50 Rabbit : 2335 mg/kg

## XII. ECOLOGICAL INFORMATION

**Overview (for ingredients):** No data available. Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

## XIII. DISPOSAL CONSIDERATIONS

**Waste Description for Spent Product:** Spent or discarded material is a hazardous waste.  
**Disposal Methods:** Perform waste water treatment. Dispose of in a landfill. Disposal is not likely to be regulated.  
**Potential EPA Waste Codes:** If discarded, this product is considered a RCRA ignitable waste, D001.

### Components Subject to USEPA Land Disposal Restrictions:

No chemicals subject to land disposal restrictions. %

## XIV. TRANSPORTATION INFORMATION

**DOT** NON REGULATED  
See 49CFR 172.101 for Special Provisions, Packaging, and Quantity Limitations.

## XV. REGULATORY INFORMATION

Chemical Name	Regulation	CASRN	%
Vinyl acetate	SARA 313 Reportable:	108-05-4	0.3
Vinyl acetate monomer	Extremely Haz. Substances:	108-05-4	0.3
TPQ = 1000 pounds; RQ = 5000 pounds	SARA Threshold Planning Quantity:	108-05-4	0.3

## **XVI. ADDITIONAL INFORMATION**

---

**Other Information:**

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

MSDS glossary.