



M860-0002 OZ Polish  
860-0002  
B800-1241P

# MATERIAL SAFETY DATA SHEET

RPM Wood Finishes Group  
3194 Hickory Boulevard  
Hudson, North Carolina 28638  
828-728-8266

EMERGENCY PHONE (CHEM TREC): ..... 1-800-424-9300  
FOR ALL INTERNATIONAL TRANSPORTATION ACCIDENTS. .... 1-703-527-3887 (collect)

Health: 1                      Flammability: 1                      Reactivity 0

PRODUCT NAME: M860-0002 OZ Polish

## I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

REVISION DATE: 17/10/02  
SUPERCEDES: 03/10/02  
MSDS NO. M860-000

## II. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	%	CAS #	PEL
parafinic oil	11-20	PROPRIETARY	No PEL established
Hydrotreated light distillate (Petroleum)	11-20	64742-47-8	No PEL established
Castor Oil	11-20	68187-84-8	No PEL established

## III. HAZARDS IDENTIFICATION

**Routes of Entry:** Inhalation., Ingestion., Skin contact., Eye contact., None Known.  
**Medical Conditions Aggravated:** No medical conditions affected by exposure.

### Immediate (Acute) Health Effects

**Inhalation:** No hazard in normal industrial use. Can cause severe respiratory irritation, dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

**Skin Contact:** May cause skin irritation. Can cause minor skin irritation, defatting, and dermatitis.

**Eye Contact:** Can cause irritation. Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

**Skin Absorption:** No component(s) in this product is known to be absorbed through the skin. Minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

**Ingestion:** Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal. Small amounts (a tablespoonful) swallowed during normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury. Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea.

**Target Organ Acute Toxicity:**

**Long-Term (Chronic) Health Effects:**

**Carcinogenicity:** None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.

**Reproductive and Developmental Toxicity:** No information available.

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause severe respiratory irritation, dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

**Skin Contact:** Prolonged or repeated contact may cause irritation. Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.

**Eye Contact:** Upon prolonged or repeated contact, can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

**Skin Absorption:** Upon prolonged or repeated exposure, minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

**Target Organ Chronic Toxicity:** No data.

**Supplemental Health Hazard Information:** No additional health information available.

**IV. FIRST AID**

---

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

**Eyes:** Flush immediately under running water for 15 minutes. If redness or irritation occurs, seek medical attention. Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or persists. Wash with soap and water. Get medical attention if irritation develops or persists.

**Ingestion:** Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS.

**Notes to MD:** No additional first aid information available.

## V. FIRE FIGHTING MEASURES

---

### Flammability Summary:

<b>Flash Point:</b>	>200 (CALC.) °F
<b>Fire Hazards:</b>	Water spray may be used to cool containers however be careful not to spread the fire with the water used for cooling purposes. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
<b>Extinguishing Media:</b>	Use methods suitable to fight surrounding fire. Carbon dioxide Foam Use alcohol resistant spray, Carbon Dioxide, water spray or dry chemical to extinguish a fire involving this chemical. Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid.
<b>Fire Fighting Instructions:</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use methods for the surrounding fire. Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment.
<b>Hazardous Combustion Products:</b>	Carbon dioxide, Carbon monoxide

## VI. ACCIDENTAL RELEASE MEASURES

---

<b>Health Consideration for Spill Response:</b>	Slippery, can cause falls if walked on Clean up spills immediately using Protective Equipment recommended in Section VIII at a minimum. No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS
<b>Spill Mitigation Procedures General Methods:</b>	Use an inert absorbent such as sand or vermiculite. Place in properly labeled open container. No special spill clean-up considerations. Collect and discard in regular trash.

## VII. HANDLING AND STORAGE

---

<b>Handling:</b>	Wash thoroughly after handling. Avoid contact with material. Ground and bond containers when transferring material. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Mildly irritating material. Avoid unnecessary exposure.
<b>Storage:</b>	Keep from freezing. Keep away from heat, sparks, and flame. Store in a cool dry place. Isolate from incompatible materials.

## VIII. ENGINEERING CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT

---

<b>Engineering Controls:</b>	Check ventilation codes. Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.
------------------------------	---

## **Protective Equipment**

### **Respiratory Tract:**

Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2-1992). A written respiratory protection program, including provisions for medical certification, training, fit testing, exposure assessments, maintenance, inspection, cleaning, and convenient, sanitary storage should be implemented.

### **Eyes:**

Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

### **Skin:**

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

## **IX. PHYSICAL DATA**

---

<b>Physical State:</b>	CLOUDY LIQUID
<b>Odor:</b>	NONE TO VERY FAINT
<b>Solids Vol %:</b>	10.2005
<b>Solids Wt %:</b>	11.0909
<b>Material VOC lbs/gal:</b>	2.767
<b>Material VOC gms/l:</b>	332.2902
<b>Weight per gallon:</b>	7.6959

## **X. STABILITY AND REACTIVITY**

---

<b>Stability Information:</b>	Stable. Stable under normal conditions.
<b>Conditions to Avoid:</b>	Contamination. Contact with oxidizing materials. Temperatures above flash point in combination with sparks, open flames, or other sources of ignition.
<b>Chemical Incompatibility:</b>	Strong oxidizing agents. Amines. Strong acids. Caustics (bases). Oxidizing materials.
<b>Hazardous Polymerization:</b>	Hazardous Polymerization will not occur.

## **XI. TOXICOLOGICAL INFORMATION**

---

<b>Chemical Name</b>	<b>CAS Number</b>	<b>LD50/LC50</b>
No data available		

## **XII. ECOLOGICAL INFORMATION**

---

<b>Overview (for ingredients):</b>	No data available. No ecological information available.
------------------------------------	---

## **XIII. DISPOSAL CONSIDERATIONS**

---

<b>Waste Description for Spent Product:</b>	Mixing spent or discarded material with other materials may render the mixture hazardous. Perform a hazardous waste determination on mixtures. Spent or discarded material may be a hazardous waste.
---	--

**Disposal Methods:** Comply with all Local, State, Federal, and Provincial Environmental Regulations.  
Dispose of by incineration following Federal, State, Local, or Provincial regulations.

**Potential EPA Waste Codes:** No data.

**Components Subject to USEPA Land Disposal Restrictions:**

No chemicals subject to land disposal restrictions. %

**XIV. TRANSPORTATION INFORMATION**

---

**DOT** NON REGULATED

**XV. REGULATORY INFORMATION**

---

Toxic Substances Control Act (TSCA): All components in this product are on the TSCA Inventory.

<b>Chemical Name</b>	<b>Regulation</b>	<b>CASRN</b>	<b>%</b>
1,2,4-Trimethylbenzene	SARA 313 Reportable:	25551-13-7	0.05
Xylene (mixed isomers)	SARA 313 Reportable:	1330-20-7	0.01
Cumene	SARA 313 Reportable:	98-82-8	0.00
Ethyl benzene	SARA 313 Reportable:	100-41-4	0.00
water	New Jersey Right To Know:	7732-18-5	52.87
parafinic oil	New Jersey Right To Know:	PROPRIETARY	19.24
Hydrotreated light distillate (Petroleum)	New Jersey Right To Know:	64742-47-8	16.62
castor oil	New Jersey Right To Know:	68187-84-8	10.2
surfactant	New Jersey Right To Know:	127087-87-0	0.73

**XVI. ADDITIONAL INFORMATION**

---

**Other Information:** IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

MSDS glossary.